



LUCKY EVO

100513.01H + 18743.99

LUCKY EVO: LED 32W DALI 3K BIA L=1406 + LUCKY EVO: DIFF. OPALE PER L1406



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: OPAL
Colour: WHITE
Dimming: PUSH, DALI
Emergency: NO
L: 1406mm
A: 52mm
H: 80mm
Made in: ITALY
Warranty: 5 years
Weight: 3.5kg

Tech data

Luminaire input power: 34.4W
Luminaire luminous flux: 2597lm
IP: 40
Insulation class: I
Supply voltage: 220-240V 50/60Hz
SELV: Si

Source

Light source: LED
Source power: 32W
Source luminous flux: 4686lm
Colour temperature: 3000K
CRI: >80
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[LUCKY EVO: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:33

LUCKY EVO

100513.01H + 18743.99

LUCKY EVO: LED 32W DALI 3K BIA L=1406 + LUCKY EVO: DIFF. OPALE PER L1406





novalux
ITALIAN LIGHTING DESIGN SINCE 1948

Features

Use: Indoor
Optics: OPAL
L: 1406mm
A: 48mm
H: 10mm
Made in: ITALY
Warranty: 5 years
Weight: 0.3kg

Tech data

IP: 40



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:33

LUCKY EVO

100513.01H + 18743.99

LUCKY EVO: LED 32W DALI 3K BIA L=1406 + LUCKY EVO: DIFF. OPALE PER L1406

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	LUCKY EVO: TESTATE COPPIA BIA	18750.01
---	-------------------------------	----------

	LUCKY EVO: KIT DI GIUNZ. RETTILINEO	18751.99
---	-------------------------------------	----------

MOUNTING ACCESSORIES

	ALL-TRACK: COPPIA ADATT. 3P+DALI BIA	106723.01
---	--------------------------------------	-----------

	LUCKY EVO: STAFFA PARETE "L" BIA	1005A2.01
---	----------------------------------	-----------

	LUCKY EVO: KIT INCASSO LED (2X)	18752.99
---	---------------------------------	----------

	LUCKY EVO: SPESS. CARTONG. 10MM 4PZ.	18753.99
---	--------------------------------------	----------

	KIT ALIMENTAZIONE L1200 5P BIA	108921.01
---	--------------------------------	-----------

	KIT ALIMENTAZIONE L3000 5P BIA	108922.01
---	--------------------------------	-----------

	HERO: SOSP.L3000 1PZ TESTA W.G.BASSO	108685.99
---	--------------------------------------	-----------

	LUCKY EVO: SOSP.L3000 1PZ. UNIONE	18757.99
---	-----------------------------------	----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:33