


LUCKY EVO

100587.01 + 100560.99

LUCKY EVO: LED 63W 3K BIA L=2811 + LUCKY EVO: DIFF. OPALE PER L2811



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor

Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK

Emission: DIRECT

Optics: OPAL

Colour: WHITE

Dimming: ON/OFF

Emergency: NO

L: 2811mm

A: 52mm

H: 80mm

Made in: ITALY

Warranty: 5 years

Weight: 6.5kg

Tech data

Luminaire input power: 69.7W

Luminaire luminous flux: 5194lm

IP: 40

Insulation class: I

Supply voltage: 220-240V 50/60Hz

SELV: Si

Source

Light source: LED

Source power: 63W

Source luminous flux: 9373lm

Colour temperature: 3000K

CRI: >80

Colour tolerance: 3 Step MacAdam

LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[LUCKY EVO: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:10:49

LUCKY EVO

100587.01 + 100560.99

LUCKY EVO: LED 63W 3K BIA L=2811 + LUCKY EVO: DIFF. OPALE PER L2811





novalux
ITALIAN LIGHTING DESIGN SINCE 1948

Features

Use: Indoor
Optics: OPAL
L: 2811mm
A: 48mm
H: 10mm
Made in: ITALY
Warranty: 5 years
Weight: 0.5kg

Tech data

IP: 40



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:10:49

LUCKY EVO

100587.01 + 100560.99

LUCKY EVO: LED 63W 3K BIA L=2811 + LUCKY EVO: DIFF. OPALE PER L2811

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	LUCKY EVO: TESTATE COPPIA BIA	18750.01
---	-------------------------------	----------

	LUCKY EVO: KIT DI GIUNZ. RETTILINEO	18751.99
---	-------------------------------------	----------

MOUNTING ACCESSORIES

	HERO: SOSPL3000 1PZ TESTA W.G.BASSO	108685.99
---	-------------------------------------	-----------

	ALL-TRACK: COPPIA ADATT. 3P BIA	106722.01
---	---------------------------------	-----------

	LUCKY EVO: SOSPL3000 1PZ. UNIONE	18757.99
--	----------------------------------	----------

	LUCKY EVO: SPESS. CARTONG. 10MM 4PZ.	18753.99
---	--------------------------------------	----------

	KIT ALIMENTAZIONE L1200 3P BIA	108919.01
---	--------------------------------	-----------

	KIT ALIMENTAZIONE L3000 3P BIA	108920.01
---	--------------------------------	-----------

	LUCKY EVO: KIT INCASSO LED (3X)	1005A1.99
---	---------------------------------	-----------

	LUCKY EVO: STAFFA PARETE "L" BIA	1005A2.01
---	----------------------------------	-----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:10:49