

LUCKY EVO

100587.02 + 100579.99

LUCKY EVO: LED 63W 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: MICRO-STRUCTURED
Colour: BLACK
Dimming: ON/OFF
Emergency: NO
L: 2811mm
A: 52mm
H: 80mm
Made in: ITALY
Warranty: 5 years
Weight: 6.5kg

Tech data

Luminaire input power: 69.7W
Luminaire luminous flux: 4925lm
IP: 40
Insulation class: I
Supply voltage: 220-240V 50/60Hz
UGR: <19
SELV: Si

Source

Light source: LED
Source power: 63W
Source luminous flux: 9373lm
Colour temperature: 3000K
CRI: >80
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

[View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:05:25

LUCKY EVO

100587.02 + 100579.99

LUCKY EVO: LED 63W 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811



novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Features

Use: Indoor
Optics: MICRO-STRUCTURED
L: 2811mm
A: 48mm
H: 10mm
Made in: ITALY
Warranty: 5 years
Weight: 0.6kg

Tech data

IP: 40
UGR: <19



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:05:25

LUCKY EVO

100587.02 + 100579.99

LUCKY EVO: LED 63W 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	LUCKY EVO: TESTATE COPPIA NE	18750.02
---	------------------------------	----------

	LUCKY EVO: KIT DI GIUNZ. RETTILINEO	18751.99
---	-------------------------------------	----------

MOUNTING ACCESSORIES

	HERO: SOSP.L3000 1PZ. TESTA/CODA	108685.99
---	----------------------------------	-----------

	LUCKY EVO: SOSP.L3000 1PZ. UNIONE	18757.99
---	-----------------------------------	----------

	LUCKY EVO: SPESS. CARTONG. 10MM 4PZ.	18753.99
---	--------------------------------------	----------

	LUCKY EVO: STAFFA PARETE "L" NE	1005A2.02
--	---------------------------------	-----------

	KIT ALIMENTAZIONE L3000 3P NE	108920.02
---	-------------------------------	-----------

	ALL-TRACK: COPPIA ADATT. 3P NER	106722.02
---	---------------------------------	-----------

	KIT ALIMENTAZIONE L1200 3P NE	108919.02
---	-------------------------------	-----------

	LUCKY EVO: KIT INCASSO LED (3X)	1005A1.99
---	---------------------------------	-----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:05:25