

LUCKY EVO

100595.02H + 100579.99

LUCKY EVO: LED 63W DALI 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor

Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK

Emission: DIRECT

Optics: MICRO-STRUCTURED

Colour: BLACK

Dimming: PUSH, DALI

Emergency: NO

L: 2811mm

A: 52mm

H: 80mm

Made in: ITALY

Warranty: 5 years

Weight: 6.5kg

Tech data

Luminaire input power: 69.7W

Luminaire luminous flux: 4925lm

IP: 40

Insulation class: I

Supply voltage: 220-240V 50/60Hz

UGR: <19

SELV: Si

Source

Light source: LED

Source power: 63W

Source luminous flux: 9373lm

Colour temperature: 3000K

CRI: >80

Colour tolerance: 3 Step MacAdam

LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

[View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:01:32

LUCKY EVO

100595.02H + 100579.99

LUCKY EVO: LED 63W DALI 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811



novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Features

Use: Indoor
Optics: MICRO-STRUCTURED
L: 2811mm
A: 48mm
H: 10mm
Made in: ITALY
Warranty: 5 years
Weight: 0.6kg

Tech data

IP: 40
UGR: <19



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:01:32

LUCKY EVO

100595.02H + 100579.99

LUCKY EVO: LED 63W DALI 3K NE L=2811 + LUCKY EVO: DIFF.TRAS.+MICROS. PER L2811

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	LUCKY EVO: KIT DI GIUNZ. RETTILINEO	18751.99
---	-------------------------------------	----------

	LUCKY EVO: TESTATE COPPIA NE	18750.02
---	------------------------------	----------

MOUNTING ACCESSORIES

	ALL-TRACK: COPPIA ADATT. 3P+DALI NER	106723.02
---	--------------------------------------	-----------

	LUCKY EVO: STAFFA PARETE "L" NE	1005A2.02
---	---------------------------------	-----------

	LUCKY EVO: KIT INCASSO LED (3X)	1005A1.99
---	---------------------------------	-----------

	LUCKY EVO: SPESS. CARTONG. 10MM 4PZ.	18753.99
---	--------------------------------------	----------

	KIT ALIMENTAZIONE L1200 5P NE	108921.02
---	-------------------------------	-----------

	KIT ALIMENTAZIONE L3000 5P NE	108922.02
---	-------------------------------	-----------

	HERO: SOSPL3000 1PZ. TESTA/CODA	108685.99
---	---------------------------------	-----------

	LUCKY EVO: SOSPL3000 1PZ. UNIONE	18757.99
---	----------------------------------	----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 12:01:32