


LUCKY EVO C

100615.01H + 1002E1.99

LUCKY EVO C: LED 32W 3K L=1406 BI. DALI + LUCKY EVO B/C: DIFF.TRAS.+MICR.PER



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor

Type of installation: RECESSED INTO BRICKWORK, RECESSED INTO PLASTERBOARD

Emission: DIRECT

Optics: MICRO-STRUCTURED

Colour: WHITE

Dimming: PUSH, DALI

Emergency: NO

L: 1406mm

A: 70mm

H: 62mm

Made in: ITALY

Warranty: 5 years

Weight: 3.6kg

Tech data

Luminaire input power: 34.4W

Luminaire luminous flux: 2462lm

IP: 40

Insulation class: I

Supply voltage: 220-240V 50/60Hz

UGR: <19

SELV: Si

Source

Light source: LED

Source power: 32W

Source luminous flux: 4686lm

Colour temperature: 3000K

CRI: >80

Colour tolerance: 3 Step MacAdam

LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[LUCKY EVO C: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:52


LUCKY EVO C

100615.01H + 1002E1.99

LUCKY EVO C: LED 32W 3K L=1406 BI. DALI + LUCKY EVO B/C: DIFF.TRAS.+MICR.PER



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Optics: MICRO-STRUCTURED
Emergency: NO
L: 1406mm
A: 48mm
H: 10mm
Made in: ITALY
Warranty: 5 years
Weight: 0.5kg

Tech data

IP: 40
UGR: <19



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:52

LUCKY EVO C

100615.01H + 1002E1.99

LUCKY EVO C: LED 32W 3K L=1406 BI. DALI + LUCKY EVO B/C: DIFF.TRAS.+MICR.PER

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES



LUCKY EVO C: COPPIA TESTATE BIANCHE


100650.01



LUCKY EVO C: GIUNTI LINEARI.

100649.01

MOUNTING ACCESSORIES



LUCKY EVO C: CASSAFORMA X MURAT. L=1406

100653.99



LUCKY EVO C: COPPIA TESTATE CASSAFORMA

100655.99



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:07:52