

L-16 SYSTEM | B-16 SYSTEM

101524.02 + 101529.02

L-16 SYS: MOD.LED 4K 24V 10W L304 NE + L-16 SYS: MOD.M/O 60 L304 NE





Features

Use: Indoor
Type of installation: TRACK
Emission: DIRECT
Optics: MICRO OPTICS
Colour: BLACK
Dimming: WITH ACCESSORY
Emergency: WITH ACCESSORY
L: 306mm
A: 16mm
H: 12mm
Made in: ITALY
Warranty: 5 years

Tech data

Luminaire input power: 10W
Luminaire luminouse flux: 822lm
IP: 20
Insulation class: III
Supply voltage: 24 Vdc
UGR: <19
SELV: Sì

Source

Light source: LED
Source power: 10W
Source luminous flux: 1172lm
Colour temperature: 4000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

L-16 SYSTEM: View more product info

B-16 SYSTEM: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh


This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:21:43

L-16 SYSTEM | B-16 SYSTEM

101524.02 + 101529.02

L-16 SYS: MOD.LED 4K 24V 10W L304 NE + L-16 SYS: MOD.M/O 60 L304 NE





Features

Use: Indoor
Optics: MICRO OPTICS
Beam: 60°
Colour: BLACK
L: 280mm
A: 13mm
H: 10mm
Made in: ITALY
Warranty: 5 years

Tech data

IP: 20
UGR: <19
SELV: No

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:21:43

L-16 SYSTEM | B-16 SYSTEM

101524.02 + 101529.02

L-16 SYS: MOD.LED 4K 24V 10W L304 NE + L-16 SYS: MOD.M/O 60 L304 NE

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	L-16 SYS: ALIM. CENTRALE NE	**101557.02**
	L-16 SYS: TESTATA CHIUSURA NE	**101561.02**
	L-16 SYS: CONNET. ANGOLARE MOD/MOD NE	**101559.02**
	L-16 SYS: TESTATA ALIM. NE	**101556.02**
	L-16 SYS: CONNET. STRIPLED/MOD NE	**101560.02**
	L-16 SYS: ESTRATTORE M.LED/BIN.	**101554.99**
	L-16 SYS: CONNET. LINEARE MOD/MOD NE	**101558.02**

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:21:43