


L-16 SYSTEM

101525.02 + 101532.02

L-16 SYS: MOD.LED 3K 24V 20W L584 NE + L-16 SYS: MOD.M/O 60 L584 NE

novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Type of installation: TRACK
Emission: DIRECT
Colour: BLACK
Dimming: WITH ACCESSORY
Emergency: WITH ACCESSORY
L: 586mm
A: 16mm
H: 12mm
Made in: ITALY
Warranty: 5 years

Tech data

Luminaire input power: 20W
Luminaire luminous flux: 1516lm
Luminous flux in emergency: 1h: 40% / 3h: 16
IP: 20
Insulation class: III
Supply voltage: 24 Vdc
UGR: <19
SELV: Si

Source

Light source: LED
Source power: 20W
Source luminous flux: 2160lm
Colour temperature: 3000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L80 B20

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[L-16 SYSTEM: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:06:56

L-16 SYSTEM

101525.02 + 101532.02

L-16 SYS: MOD.LED 3K 24V 20W L584 NE + L-16 SYS: MOD.M/O 60 L584 NE

novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Features

Use: Indoor
Beam: 60°
Colour: BLACK
L: 560mm
A: 13mm
H: 10mm
Made in: ITALY
Warranty: 5 years

Tech data

IP: 20
UGR: <19
SELV: No



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:06:56


L-16 SYSTEM

101525.02 + 101532.02

L-16 SYS: MOD.LED 3K 24V 20W L584 NE + L-16 SYS: MOD.M/O 60 L584 NE

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

	L-16 SYS: K.ALIM.MOD. NE (KIT A)	101550.02
	L-16 SYS: K.GIUN.MOD-STRIP NE (KIT B)	101551.02
	L-16 SYS: K.GIUN.MOD-MOD NE (KIT C)	101552.02
	L-16 SYS: K.ALIM/GIUN.ANG. NE (KIT D)	101553.02

MOUNTING ACCESSORIES

	L-16 SYS: ESTRATTORE M.LED/BIN.	101554.99
---	---------------------------------	-----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:06:56