HALOS MINI

107332.21









Features

Use: Indoor
Type of installation: SUSPENDED
Emission: INTERNAL
Optics: OPAL
Colour: CAPPUCCINO
Dimming: WITH ACCESSORY
Emergency: NO
L: Ø962mm
A: 20mm
H: 30mm
Made in: ITALY
Warranty: 5 years
Weight: 4.1kg

Tech data

Luminaire input power: 66.1W
Luminaire luminouse flux: 3059lm
IP: 40
Insulation class: III
Supply voltage: MAX 1.8A
IK: 3
SELV: Sì

Source

Light source: LED
Source power: 62W
Source luminous flux: 8456lm
Colour temperature: 2700K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

HALOS MINI: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:58:48

HALOS MINI

107332.21

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

MOUNTING ACCESSORIES

	HALOS: ROSONE ALIM. REMOTA BIA	**105157.01**
	HALOS: ROSONE ALIM. REMOTA CAPP	**105157.21**
	HALOS: ROSONE DOPPIA ALIM. REMOTA BIA	**105158.01**
	HALOS: ROSONE DOPPIA ALIM. REMOTA CAPP	**105158.21**

ELECTRICAL ACCESSORIES

	HALOS: ALIMENTATORE ON/OFF	**105147.99**
	HALOS: ROSONE ALIM. ON/OFF BIANCO	**105149.01**
	HALOS: ROSONE ALIM. ON/OFF CAPP	**105149.21**
	HALOS: ROSONE-N ALIM. ON/OFF BIA	**105151.01**
	HALOS: ROSONE-N ALIM. ON/OFF CAPP	**105151.21**
	HALOS: ROSONE DOPPIA ALIM. ON/OFF BIA	**105153.01**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:58:48

HALOS MINI

107332.21

	HALOS: ROSONE DOPPIA ALIM. ON/OFF CAPP	**105153.21**
	HALOS: ROSONE-N DOPPIA ALIM ON/OFF BIA	**105155.01**
	HALOS: ROSONE-N DOPPIA ALIM ON/OFF CAPP	**105155.21**

DIMMABLE ACCESSORIES

	HALOS: ALIMENTATORE DALI/PUSH	**105148.99**
	HALOS: ROSONE ALIM. DALI/PUSH BIANCO	**105150.01**
	HALOS: ROSONE ALIM. DALI/PUSH CAPP	**105150.21**
	HALOS: ROSONE-N ALIM. DALI/PUSH BIA	**105152.01**
	HALOS: ROSONE-N ALIM. DALI/PUSH CAPP	**105152.21**
	HALOS: ROSONE DOPPIA ALIM. DA/PUSH BIA	**105154.01**
	HALOS: ROSONE DOPPIA ALIM. DA/PUSH CAPP	**105154.21**
	HALOS: ROSONE-N DOPPIA ALIM D/PUSH BIA	**105156.01**
	HALOS: ROSONE-N DOPPIA ALIM D/PUSH CAPP	**105156.21**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:58:48

HALOS MINI

107332.21

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 12:58:48