



## Features

Use: Indoor  
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK  
Emission: DIRECT  
Optics: MICROPRISMATIZED  
Colour: CAPPUCCINO  
Dimming: ON/OFF  
Emergency: NO  
L: 1960mm  
A: 53mm  
H: 69mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 5kg

## Tech data

Luminaire input power: 48.3W  
Luminaire luminous flux: 3650lm  
IP: 40  
Insulation class: I  
No. of driver per product: 2  
Supply voltage: 220-240V 50/60Hz  
UGR: <19  
SELV: Si

## Source

Light source: LED  
Source power: 42W  
Colour temperature: 2700K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).

[View more product info](#)



## Features

Use: Indoor  
Optics: MICROPRISMATIZED  
L: 1960mm  
A: 48mm  
H: 6mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 0.4kg

## Tech data

IP: 40  
UGR: <19

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).



COMPLETION ACCESSORIES

|                                                                                     |                                |           |
|-------------------------------------------------------------------------------------|--------------------------------|-----------|
|    | HERO: MOD.CIECO ANG.SX 150 CAP | 108677.21 |
|    | HERO: MOD.CIECO 1120 CAP       | 108679.21 |
|    | HERO: MOD.CIECO 1680 CAP       | 108681.21 |
|    | HERO: COPPIA TESTATE CAP       | 108684.21 |
|   | HERO: MOD.CIECO 1400 CAP       | 108680.21 |
|  | HERO: MOD.CIECO 250 CAP        | 108676.21 |
|  | HERO: MOD.CIECO ANG.DX 150 CAP | 108678.21 |

MOUNTING ACCESSORIES

|                                                                                     |                                 |           |
|-------------------------------------------------------------------------------------|---------------------------------|-----------|
|  | HERO: SOSPL3000 1PZ. TESTA/CODA | 108685.99 |
|  | ALL-TRACK: COPPIA ADATT. 3P BIA | 106722.01 |
|  | KIT ALIMENTAZIONE L1200 3P CAP  | 108919.21 |
|  | KIT ALIMENTAZIONE L1200 3P BIA  | 108919.01 |

|                                                                                     |                                     |           |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------|
|    | ALL-TRACK: COPPIA ADATT. 3P NER     | 106722.02 |
|    | HERO: SPESS. CARTONG. 10MM 2PZ.     | 108689.99 |
|    | HERO: SOSPL3000 1PZ. UNIONE         | 108686.99 |
|    | KIT ALIMENTAZIONE L3000 3P CAP      | 108920.21 |
|    | HERO: SOSPL3000 1PZ TESTA W.G.ALTO  | 1086A1.99 |
|   | KIT ALIMENTAZIONE L3000 3P BIA      | 108920.01 |
|  | HERO: KIT INCASSO LED (1X)          | 108688.99 |
|  | HERO: SOSPL3000 1PZ UNIONE W.G.ALTO | 1086A2.99 |
|  | HERO: STAFFA PARETE "L" CAP         | 108687.21 |