


HERO

108607.02 + 108907.99

HERO: 59W 2.7K 2800 NE + HERO: DIFF. OPALE PER 2800









Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: OPAL
Colour: BLACK
Dimming: NO
Emergency: NO
L: 2800mm
A: 53mm
H: 69mm
Made in: ITALY
Warranty: 5 years
Weight: 9.7kg

Tech data

Luminaire input power: 69.7W
Luminaire luminouse flux: 4772lm
IP: 40
Insulation class: I
No. of driver per product: 2
Supply voltage: 220-240V 50/60Hz
SELV: Sì

Source

Light source: LED
Source power: 59W
Colour temperature: 2700K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

HERO: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:38:05

HERO

108607.02 + 108907.99


HERO: 59W 2.7K 2800 NE + HERO: DIFF. OPALE PER 2800

Features

Optics: OPAL
L: 2800mm
A: 48mm
H: 6mm
Made in: ITALY
Warranty: 5 years
Weight: 0.6kg

Tech data

IP: 40
SELV: No





Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh







This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:38:05

HERO

108607.02 + 108907.99

HERO: 59W 2.7K 2800 NE + HERO: DIFF. OPALE PER 2800

COMPLETION ACCESSORIES

	HERO: MOD.CIECO 250 NE	**108676.02**
	HERO: MOD.CIECO ANG.DX 150 NE	**108678.02**
	HERO: COPPIA TESTATE NE	**108684.02**
	HERO: TESTATA OPALE PER SCHERMO TL 2PZ	**108930.99**
	HERO: MOD.CIECO ANG.SX 150 NE	**108677.02**
	HERO: MOD.CIECO 1680 NE	**108681.02**
	HERO: MOD.CIECO 1120 NE	**108679.02**
	HERO: MOD.CIECO 1400 NE	**108680.02**

MOUNTING ACCESSORIES

	HERO: STAFFA PARETE "L" NE	**108687.02**
	HERO: SOSP.L3000 1PZ TESTA W.G.BASSO	**108685.99**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:38:05

HERO

108607.02 + 108907.99

HERO: 59W 2.7K 2800 NE + HERO: DIFF. OPALE PER 2800

	KIT ALIMENTAZIONE L1200 3P BIA	**108919.01**
	KIT ALIMENTAZIONE L3000 3P NE	**108920.02**
	ALL-TRACK: COPPIA ADATT. 3P NER	**106722.02**
	HERO: SPESS. CARTONG. 10MM 2PZ.	**108689.99**
	HERO: SOSP.L3000 1PZ UNIONE W.G.BASSO	**108686.99**
	KIT ALIMENTAZIONE L1200 3P NE	**108919.02**
	HERO: SOSP.L3000 1PZ TESTA W.G.ALTO	**1086A1.99**
	KIT ALIMENTAZIONE L3000 3P BIA	**108920.01**
	HERO: KIT INCASSO LED (1X)	**108688.99**
	HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO	**1086A2.99**

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:38:05