

# HERO

108621.02 + 108929.99

HERO: 59W 4K 2800 NE + HERO: DIFF. OPALE TL PER 2800



**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Use: Indoor  
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK  
Emission: DIRECT  
Optics: OPAL FULL LIGHT  
Colour: BLACK  
Dimming: NO  
Emergency: NO  
L: 2800mm  
A: 53mm  
H: 69mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 9.7kg

## Tech data

Luminaire input power: 69.7W  
Luminaire luminous flux: 5993lm  
IP: 40  
Insulation class: I  
No. of driver per product: 2  
Supply voltage: 220-240V 50/60Hz  
SELV: Si

## Source

Light source: LED  
Source power: 59W  
Colour temperature: 4000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L90 B10

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

[HERO: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 9/6/2026, 17:37:06

# HERO

108621.02 + 108929.99

HERO: 59W 4K 2800 NE + HERO: DIFF. OPALE TL PER 2800

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Optics: OPAL FULL LIGHT

L: 2800mm

A: 52.5mm

H: 15mm

Made in: ITALY

Warranty: 5 years

Weight: 0.13kg

## Tech data

IP: 40

SELV: No



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 9/6/2026, 17:37:06









# HERO

108621.02 + 108929.99



HERO: 59W 4K 2800 NE + HERO: DIFF. OPALE TL PER 2800

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948

## COMPLETION ACCESSORIES

|   |  |           |
|---|--|-----------|
|    | HERO: MOD.CIECO 250 NE                 | 108676.02 |
|    | HERO: MOD.CIECO ANG.DX 150 NE          | 108678.02 |
|    | HERO: COPPIA TESTATE NE                | 108684.02 |
|    | HERO: TESTATA OPALE PER SCHERMO TL 2PZ | 108930.99 |
|    | HERO: MOD.CIECO ANG.SX 150 NE          | 108677.02 |
|  | HERO: MOD.CIECO 1680 NE                | 108681.02 |
|  | HERO: MOD.CIECO 1120 NE                | 108679.02 |
|  | HERO: MOD.CIECO 1400 NE                | 108680.02 |

## MOUNTING ACCESSORIES

|   |                                     |           |
|---|-------------------------------------|-----------|
|  | HERO: STAFFA PARETE "L" NE          | 108687.02 |
|  | HERO: SOSPL3000 1PZ TESTA W.G.BASSO | 108685.99 |



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 9/6/2026, 17:37:06

# HERO

108621.02 + 108929.99

HERO: 59W 4K 2800 NE + HERO: DIFF. OPALE TL PER 2800

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948

|   |                                       |                  |
|---|---------------------------------------|------------------|
|    | KIT ALIMENTAZIONE L1200 3P BIA        | <b>108919.01</b> |
|    | KIT ALIMENTAZIONE L3000 3P NE         | <b>108920.02</b> |
|    | ALL-TRACK: COPPIA ADATT. 3P NER       | <b>106722.02</b> |
|    | HERO: SPESS. CARTONG. 10MM 2PZ.       | <b>108689.99</b> |
|    | HERO: SOSP.L3000 1PZ UNIONE W.G.BASSO | <b>108686.99</b> |
|   | KIT ALIMENTAZIONE L1200 3P NE         | <b>108919.02</b> |
|  | HERO: SOSP.L3000 1PZ TESTA W.G.ALTO   | <b>1086A1.99</b> |
|  | KIT ALIMENTAZIONE L3000 3P BIA        | <b>108920.01</b> |
|  | HERO: KIT INCASSO LED (1X)            | <b>108688.99</b> |
|  | HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO  | <b>1086A2.99</b> |



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 9/6/2026, 17:37:06