



## Features

Use: Indoor  
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK  
Emission: DIRECT  
Optics: MICRO OPTICS  
Colour: BLACK  
Dimming: NO  
Emergency: NO  
L: 1428mm  
A: 53mm  
H: 69mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 4.2kg

## Tech data

Luminaire input power: 40.5W  
Luminaire luminous flux: 4020lm  
IP: 40  
Insulation class: I  
No. of driver per product: 1  
Supply voltage: 220-240V 50/60Hz  
UGR: <19  
SELV: Sì

## Source

Light source: LED  
Source power: 36W  
Colour temperature: 4000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L90 B10

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).

[HERO: View more product info](#)



COMPLETION ACCESSORIES

|                                                                                     |                               |           |
|-------------------------------------------------------------------------------------|-------------------------------|-----------|
|    | HERO: MOD.CIECO 250 NE        | 108676.02 |
|    | HERO: MOD.CIECO ANG.DX 150 NE | 108678.02 |
|    | HERO: COPPIA TESTATE NE       | 108684.02 |
|    | HERO: MOD.CIECO ANG.SX 150 NE | 108677.02 |
|    | HERO: MOD.CIECO 1680 NE       | 108681.02 |
|  | HERO: MOD.CIECO 1120 NE       | 108679.02 |
|  | HERO: MOD.CIECO 1400 NE       | 108680.02 |

MOUNTING ACCESSORIES

|                                                                                     |                                     |           |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------|
|  | HERO: STAFFA PARETE "L" NE          | 108687.02 |
|  | HERO: SOSPL3000 1PZ TESTA W.G.BASSO | 108685.99 |
|  | KIT ALIMENTAZIONE L1200 3P BIA      | 108919.01 |

|                                                                                     |                                       |           |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------|
|    | KIT ALIMENTAZIONE L3000 3P NE         | 108920.02 |
|    | ALL-TRACK: COPPIA ADATT. 3P NER       | 106722.02 |
|    | HERO: SPESS. CARTONG. 10MM 2PZ.       | 108689.99 |
|    | HERO: SOSP.L3000 1PZ UNIONE W.G.BASSO | 108686.99 |
|    | KIT ALIMENTAZIONE L1200 3P NE         | 108919.02 |
|   | HERO: SOSP.L3000 1PZ TESTA W.G.ALTO   | 1086A1.99 |
|  | KIT ALIMENTAZIONE L3000 3P BIA        | 108920.01 |
|  | HERO: KIT INCASSO LED (1X)            | 108688.99 |
|  | HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO  | 1086A2.99 |