



## Features

Use: Indoor  
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK  
Emission: DIRECT  
Optics: MICRO OPTICS  
Colour: CAFFE  
Dimming: ON/OFF  
Emergency: NO  
L: 1428mm  
A: 53mm  
H: 69mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 4.2kg

## Tech data

Luminaire input power: 40.5W  
Luminaire luminous flux: 4020lm  
IP: 40  
Insulation class: I  
No. of driver per product: 1  
Supply voltage: 220-240V 50/60Hz  
UGR: <19  
SELV: Sì

## Source

Light source: LED  
Source power: 36W  
Colour temperature: 4000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).

[View more product info](#)

COMPLETION ACCESSORIES

|                                                                                                                                                                                                         |                                |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------|
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO 250 CAF track. Dimensions: H 135, L 250, W 33.</p>          | HERO: MOD.CIECO 250 CAF        | 108676.20 |
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO 1400 CAF track. Dimensions: H 135, L 1400, W 33.</p>        | HERO: MOD.CIECO 1400 CAF       | 108680.20 |
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO ANG.SX 150 CAF track. Dimensions: H 135, L 150, W 33.</p>   | HERO: MOD.CIECO ANG.SX 150 CAF | 108677.20 |
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO 1680 CAF track. Dimensions: H 135, L 1680, W 33.</p>        | HERO: MOD.CIECO 1680 CAF       | 108681.20 |
|  <p>Diagram showing a cross-section of the HERO: COPPIA TESTATE CAF track. Dimensions: H 135, L 1680, W 33.</p>       | HERO: COPPIA TESTATE CAF       | 108684.20 |
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO ANG.DX 150 CAF track. Dimensions: H 135, L 150, W 33.</p> | HERO: MOD.CIECO ANG.DX 150 CAF | 108678.20 |
|  <p>Diagram showing a cross-section of the HERO: MOD.CIECO 1120 CAF track. Dimensions: H 135, L 1120, W 33.</p>      | HERO: MOD.CIECO 1120 CAF       | 108679.20 |

MOUNTING ACCESSORIES

|                                                                                                                                                                                                           |                                 |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------|
|  <p>Diagram showing a cross-section of the HERO: SOSPL3000 1PZ. TESTA/CODA track. Dimensions: H 12, L 17.</p>          | HERO: SOSPL3000 1PZ. TESTA/CODA | 108685.99 |
|  <p>Diagram showing a cross-section of the ALL-TRACK: COPPIA ADATT. 3P BIA track. Dimensions: H 135, L 1680, W 33.</p> | ALL-TRACK: COPPIA ADATT. 3P BIA | 106722.01 |
|  <p>Diagram showing a cross-section of the KIT ALIMENTAZIONE L1200 3P CAF track. Dimensions: H 135, L 1200, W 33.</p>  | KIT ALIMENTAZIONE L1200 3P CAF  | 108919.20 |
|  <p>Diagram showing a cross-section of the KIT ALIMENTAZIONE L1200 3P BIA track. Dimensions: H 135, L 1200, W 33.</p>  | KIT ALIMENTAZIONE L1200 3P BIA  | 108919.01 |

|                                                                                     |                                     |           |
|-------------------------------------------------------------------------------------|-------------------------------------|-----------|
|    | ALL-TRACK: COPPIA ADATT. 3P NER     | 106722.02 |
|    | HERO: SPESS. CARTONG. 10MM 2PZ.     | 108689.99 |
|    | HERO: SOSPL3000 1PZ. UNIONE         | 108686.99 |
|    | HERO: STAFFA PARETE "L" CAF         | 108687.20 |
|    | HERO: SOSPL3000 1PZ TESTA W.G.ALTO  | 1086A1.99 |
|   | KIT ALIMENTAZIONE L3000 3P BIA      | 108920.01 |
|  | HERO: KIT INCASSO LED (1X)          | 108688.99 |
|  | HERO: SOSPL3000 1PZ UNIONE W.G.ALTO | 1086A2.99 |
|  | KIT ALIMENTAZIONE L3000 3P CAF      | 108920.20 |