

## Features

Use: Indoor

Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK

Emission: DIRECT

Optics: MICROPRISMATIZED

Colour: BLACK

Dimming: PUSH, DALI

Emergency: NO

L: 1680mm

A: 53mm

H: 69mm

Made in ITALY

Warranty: 5 years

Weight: 4.2kg

## Tech data

Luminaire input power: 40.5W

Luminaire luminous flux: 3129lm

IP: 40

Insulation class: I

No. of driver per product: 1

Supply voltage: 220-240V 50/60Hz

UGR: <19

SELV: Sì

## Source

Light source: LED

Source power: 36W

Colour temperature: 2700K

CRI: >90

Colour tolerance: 3 Step MacAdam

LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards


Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

### Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).

[View more product info](#)



## Features


Use: Indoor  
Optics: MICROPRISMATIZED  
L: 1680mm  
A: 48mm  
H: 6mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 0.4kg

## Tech data

IP: 40  
UGR: <19

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).



### COMPLETION ACCESSORIES

|                                                                                     |                               |           |
|-------------------------------------------------------------------------------------|-------------------------------|-----------|
|    | HERO: MOD.CIECO 250 NE        | 108676.02 |
|    | HERO: MOD.CIECO ANG.DX 150 NE | 108678.02 |
|    | HERO: COPPIA TESTATE NE       | 108684.02 |
|    | HERO: MOD.CIECO ANG.SX 150 NE | 108677.02 |
|    | HERO: MOD.CIECO 1680 NE       | 108681.02 |
|  | HERO: MOD.CIECO 1120 NE       | 108679.02 |
|  | HERO: MOD.CIECO 1400 NE       | 108680.02 |

### MOUNTING ACCESSORIES

|                                                                                                  |                                 |           |
|--------------------------------------------------------------------------------------------------|---------------------------------|-----------|
|  | HERO: STAFFA PARETE "L" NE      | 108687.02 |
|               | KIT ALIMENTAZIONE L1200 5P BIA  | 108921.01 |
|               | HERO: SOSPL3000 1PZ. TESTA/CODA | 108685.99 |
|               | KIT ALIMENTAZIONE L3000 5P BIA  | 108922.01 |



KIT ALIMENTAZIONE L3000 5P NE

**108922.02**



HERO: SPESS. CARTONG. 10MM 2PZ.

**108689.99**



HERO: SOSP.L3000 1PZ. UNIONE

**108686.99**



ALL-TRACK: COPPIA ADATT. 3P+DALI NER

**106723.02**



HERO: SOSP.L3000 1PZ TESTA W.G.ALTO

**1086A1.99**



HERO: KIT INCASSO LED (1X)

**108688.99**



KIT ALIMENTAZIONE L1200 5P NE

**108921.02**



HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO

**1086A2.99**