

HERO

108653.20 + 108929.99

HERO: 59W 3K 2800 DALI CAF + HERO: DIFF. OPALE TL PER 2800





Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: OPAL FULL LIGHT
Colour: CAFFE
Dimming: PUSH, DALI
Emergency: NO
L: 2800mm
A: 53mm
H: 69mm
Made in: ITALY
Warranty: 5 years
Weight: 9.7kg

Tech data

Luminaire input power: 69.7W
Luminaire luminouse flux: 5421lm
IP: 40
Insulation class: I
No. of driver per product: 2
Supply voltage: 220-240V 50/60Hz
SELV: Sì

Source

Light source: LED
Source power: 59W
Colour temperature: 3000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

HERO: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:31:22

HERO

108653.20 + 108929.99

HERO: 59W 3K 2800 DALI CAF + HERO: DIFF. OPALE TL PER 2800




Features

Optics: OPAL FULL LIGHT
L: 2800mm
A: 52.5mm
H: 15mm
Made in: ITALY
Warranty: 5 years
Weight: 0.13kg

Tech data

IP: 40
SELV: No



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh







This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:31:22

HERO


108653.20 + 108929.99

HERO: 59W 3K 2800 DALI CAF + HERO: DIFF. OPALE TL PER 2800

COMPLETION ACCESSORIES

	HERO: MOD.CIECO 250 CAF	**108676.20**
	HERO: MOD.CIECO 1400 CAF	**108680.20**
	HERO: MOD.CIECO ANG.SX 150 CAF	**108677.20**
	HERO: MOD.CIECO 1680 CAF	**108681.20**
	HERO: TESTATA OPALE PER SCHERMO TL 2PZ	**108930.99**
	HERO: COPPIA TESTATE CAF	**108684.20**
	HERO: MOD.CIECO ANG.DX 150 CAF	**108678.20**
	HERO: MOD.CIECO 1120 CAF	**108679.20**

MOUNTING ACCESSORIES

	KIT ALIMENTAZIONE L1200 5P BIA	**108921.01**
	HERO: SOSP.L3000 1PZ TESTA W.G.BASSO	**108685.99**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:31:22

HERO

108653.20 + 108929.99

HERO: 59W 3K 2800 DALI CAF + HERO: DIFF. OPALE TL PER 2800

	KIT ALIMENTAZIONE L3000 5P BIA	**108922.01**
	KIT ALIMENTAZIONE L3000 5P CAF	**108922.20**
	HERO: SPESS. CARTONG. 10MM 2PZ.	**108689.99**
	HERO: SOSP.L3000 1PZ UNIONE W.G.BASSO	**108686.99**
	ALL-TRACK: COPPIA ADATT. 3P+DALI NER	**106723.02**
	HERO: STAFFA PARETE "L" CAF	**108687.20**
	ALL-TRACK: COPPIA ADATT. 3P+DALI BIA	**106723.01**
	HERO: SOSP.L3000 1PZ TESTA W.G.ALTO	**1086A1.99**
	KIT ALIMENTAZIONE L1200 5P CAF	**108921.20**
	HERO: KIT INCASSO LED (1X)	**108688.99**
	HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO	**1086A2.99**

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:31:22