


HERO

108660.21 + 108916.99

HERO: 59W 4K 2800 DALI CAP + HERO: DIFF.MICROPRISM. PER 2800







Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: MICROPRISMATIZED
Colour: CAPPUCCINO
Dimming: PUSH, DALI
Emergency: NO
L: 2800mm
A: 53mm
H: 69mm
Made in: ITALY
Warranty: 5 years
Weight: 9.7kg

Tech data

Luminaire input power: 69.7W
Luminaire luminouse flux: 5887lm
IP: 40
Insulation class: I
No. of driver per product: 2
Supply voltage: 220-240V 50/60Hz
UGR: <19
SELV: Sì

Source

Light source: LED
Source power: 59W
Colour temperature: 4000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

HERO: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:26:59

HERO

108660.21 + 108916.99

HERO: 59W 4K 2800 DALI CAP + HERO: DIFF.MICROPRISM. PER 2800




Features

Optics: MICROPRISMATIZED
L: 2800mm
A: 48mm
H: 6mm
Made in: ITALY
Warranty: 5 years
Weight: 0.6kg

Tech data

IP: 40
UGR: <19
SELV: No







This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:26:59

HERO

108660.21 + 108916.99

HERO: 59W 4K 2800 DALI CAP + HERO: DIFF.MICROPRISM. PER 2800

COMPLETION ACCESSORIES

	HERO: MOD.CIECO ANG.SX 150 CAP	**108677.21**
	HERO: MOD.CIECO 1120 CAP	**108679.21**
	HERO: MOD.CIECO 1680 CAP	**108681.21**
	HERO: TESTATA OPALE PER SCHERMO TL 2PZ	**108930.99**
	HERO: COPPIA TESTATE CAP	**108684.21**
	HERO: MOD.CIECO 1400 CAP	**108680.21**
	HERO: MOD.CIECO 250 CAP	**108676.21**
	HERO: MOD.CIECO ANG.DX 150 CAP	**108678.21**

MOUNTING ACCESSORIES

	KIT ALIMENTAZIONE L1200 5P BIA	**108921.01**
	HERO: SOSP.L3000 1PZ TESTA W.G.BASSO	**108685.99**

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:26:59

HERO

108660.21 + 108916.99

HERO: 59W 4K 2800 DALI CAP + HERO: DIFF.MICROPRISM. PER 2800

	KIT ALIMENTAZIONE L3000 5P BIA	**108922.01**
	HERO: SPESS. CARTONG. 10MM 2PZ.	**108689.99**
	HERO: SOSP.L3000 1PZ UNIONE W.G.BASSO	**108686.99**
	ALL-TRACK: COPPIA ADATT. 3P+DALI NER	**106723.02**
	KIT ALIMENTAZIONE L1200 5P CAP	**108921.21**
	ALL-TRACK: COPPIA ADATT. 3P+DALI BIA	**106723.01**
	HERO: SOSP.L3000 1PZ TESTA W.G.ALTO	**1086A1.99**
	HERO: KIT INCASSO LED (1X)	**108688.99**
	KIT ALIMENTAZIONE L3000 5P CAP	**108922.21**
	HERO: SOSP.L3000 1PZ UNIONE W.G.ALTO	**1086A2.99**
	HERO: STAFFA PARETE "L" CAP	**108687.21**

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 17:26:59