



## Features

Use: Indoor  
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK  
Emission: DIRECT  
Optics: MICRO OPTICS  
Colour: CAFFE  
Dimming: PUSH, DALI  
Emergency: NO  
L: 1428mm  
A: 53mm  
H: 69mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 4.2kg

## Tech data

Luminaire input power: 40.5W  
Luminaire luminous flux: 4020lm  
IP: 40  
Insulation class: I  
No. of driver per product: 1  
Supply voltage: 220-240V 50/60Hz  
UGR: <19  
SELV: Si

## Source

Light source: LED  
Source power: 36W  
Colour temperature: 4000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L90 B10

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

## Average luminance

Average luminance limits for DSE workstation 65°(in accordance to EN 12464-1:2012).

[HERO: View more product info](#)

COMPLETION ACCESSORIES

|                                                                                                                                                                                       |                                |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------|
|  <p>Diagram showing a side view of a rectangular profile with dimensions: H 135, L 250, W 33.</p>    | HERO: MOD.CIECO 250 CAF        | 108676.20 |
|  <p>Diagram showing a side view of a rectangular profile with dimensions: H 135, L 1400, W 33.</p>   | HERO: MOD.CIECO 1400 CAF       | 108680.20 |
|  <p>Diagram showing an L-shaped profile with dimensions: H 135, L 150, W 33.</p>                     | HERO: MOD.CIECO ANG.SX 150 CAF | 108677.20 |
|  <p>Diagram showing a side view of a rectangular profile with dimensions: H 135, L 1680, W 33.</p>   | HERO: MOD.CIECO 1680 CAF       | 108681.20 |
|  <p>Diagram showing two small rectangular profiles with dimensions: H 135, L 33, W 33.</p>          | HERO: COPPIA TESTATE CAF       | 108684.20 |
|  <p>Diagram showing an L-shaped profile with dimensions: H 135, L 150, W 33.</p>                   | HERO: MOD.CIECO ANG.DX 150 CAF | 108678.20 |
|  <p>Diagram showing a side view of a rectangular profile with dimensions: H 135, L 1120, W 33.</p> | HERO: MOD.CIECO 1120 CAF       | 108679.20 |

MOUNTING ACCESSORIES

|                                                                                                                                                   |                                     |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------|
|  <p>Diagram showing a cable with dimensions: H 12, L 1200.</p> | KIT ALIMENTAZIONE L1200 5P BIA      | 108921.01 |
|  <p>Diagram showing a cable with dimensions: H 12, L 3000.</p> | HERO: SOSPL3000 1PZ TESTA W.G.BASSO | 108685.99 |
|  <p>Diagram showing a cable with dimensions: H 12, L 3000.</p> | KIT ALIMENTAZIONE L3000 5P BIA      | 108922.01 |

|                                                                                     |                                      |           |
|-------------------------------------------------------------------------------------|--------------------------------------|-----------|
|    | KIT ALIMENTAZIONE L3000 5P CAF       | 108922.20 |
|    | HERO: SPESS. CARTONG. 10MM 2PZ.      | 108689.99 |
|    | HERO: SOSPL3000 1PZ UNIONE W.G.BASSO | 108686.99 |
|    | ALL-TRACK: COPPIA ADATT. 3P+DALI NER | 106723.02 |
|    | HERO: STAFFA PARETE "L" CAF          | 108687.20 |
|   | ALL-TRACK: COPPIA ADATT. 3P+DALI BIA | 106723.01 |
|  | HERO: SOSPL3000 1PZ TESTA W.G.ALTO   | 1086A1.99 |
|  | KIT ALIMENTAZIONE L1200 5P CAF       | 108921.20 |
|  | HERO: KIT INCASSO LED (1X)           | 108688.99 |
|  | HERO: SOSPL3000 1PZ UNIONE W.G.ALTO  | 1086A2.99 |