


# HALOS SPOT

109712.20

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Use: Indoor  
Type of installation: SUSPENDED, CEILING MOUNTED  
Emission: INTERNAL  
Optics: OPALE/SPOT  
Beam: 40°  
Colour: CAFFE  
Dimming: WITH ACCESSORY  
Emergency: NO  
L: Ø 962mm  
A: 40mm  
H: 45mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 6.8kg

## Tech data

Luminaire input power: 74.6W  
Luminaire luminous flux: 3440lm  
IP: 20  
Insulation class: III  
Supply voltage: MAX 1.8A+0.5A  
SELV: No

## Source

Light source: LED  
Source power: 70W  
Colour temperature: 4000K  
CRI: >90  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

## Standards

Photobiological risk: RISK GROUP 1 Certified fixture in RISK GROUP 1 (Low Risk)-The fixture does not pose a hazard due to normal behavioral limitations on exposure - in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[HALOS SPOT: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: [info@novalux.it](mailto:info@novalux.it) · VAT number 00536541204 · [novalux.com](http://novalux.com)  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 12:52:12

# HALOS SPOT

109712.20

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948

## COMPLETION ACCESSORIES



ARK/HALOS: KIT GIUNZIONE PROFILI NE

**109809.02**

## MOUNTING ACCESSORIES



HALOS: KIT 4 CAVI SOSPENSIONE L.3000

**105159.99**



HALOS: ROSONE ALIM. REMOTA CAFFE

**105157.20**



CAVO ALIMENTAZIONE L=3000 4X0.75 TRASP

**109002.00**



HALOS: ROSONE DOPPIA ALIM. REMOTA CAFFE

**105158.20**

## ELECTRICAL ACCESSORIES



HALOS SPOT: COPPIA ALIM. ON/OFF REM.

**109713.99**




HALOS SPOT: ROSONE-N ON/OFF CAF

**109717.20**



HALOS SPOT: ROSONE ON/OFF CAF

**109715.20**



HALOS SPOT: COPPIA ALIM. DALI/PUSH REM.

**109714.99**



HALOS SPOT: ROSONE DALI/PUSH CAF

**109716.20**



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: [info@novalux.it](mailto:info@novalux.it) · VAT number 00536541204 · [novalux.com](http://novalux.com)  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 12:52:12

# HALOS SPOT

109712.20

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



HALOS SPOT: ROSONE-N DALI/PUSH CAF

**109718.20**



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: [info@novalux.it](mailto:info@novalux.it) · VAT number 00536541204 · [novalux.com](http://novalux.com)  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 12:52:12