

# COLLINS SP

111812.23

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Use: Indoor  
Type of installation: SUSPENDED  
Emission: DIRECT  
Optics: SPOT  
Colour: LIGHT GREY  
H: 200mm  
ø: 40mm  
Made in: EU  
Warranty: 5 years


## Tech data

IP: 20  
Insulation class: I  
Supply voltage: 220-230V 50/60 Hz  
SELV: No

## Source

Socket: GU10 mini Ø35mm (lamp not included)  
Source power: MAX 10W LED

[COLLINS SP: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 12:46:01

## SCREENS



DIFFUSORE D.40 OPALE X SPOT BI/NE/LG/DG

**112901.99**

## MOUNTING ACCESSORIES



ROSONE TONDO 4X ORIZZONTALI D180 BI

**112913.01**



ROSONE TONDO 4X ORIZZONTALI D180 NE

**112913.02**



ROSONE TONDO 12X ORIZZONTALI D300 BI

**112914.01**



ROSONE TONDO 12X ORIZZONTALI D300 NE

**112914.02**



ROSONE TONDO 12X VERTICALI D350 BI

**112915.01**



ROSONE TONDO 12X VERTICALI D350 NE

**112915.02**



ROSONE LINEA. 12X ORIZZONTALI L.780 BIAN

**112916.01**



ROSONE LINEA. 12X ORIZZONTALI L.780 NERO

**112916.02**



ROSONE LINEA. 12X VERTICALI L.1500 BIAN

**112917.01**



ROSONE LINEA. 12X VERTICALI L.1500 NERO

**112917.02**



BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS B

**112922.01**



BRIDGE SYSTEM: ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS N

**112922.02**



ROSONE PLAFONE D. 55 BIANCO

**112905.01**



ROSONE PLAFONE D. 55 NERO

**112905.02**



ROSONE PLAFONE D. 55 LIGHT GREY

**112905.23**



ROSONE PLAFONE D. 55 DARK GREY

**112905.24**



ROSONE INCASSO DIAM. 40 BIANCO

**112906.01**



ROSONE INCASSO DIAM. 40 NERO

**112906.02**



ROSONE INCASSO DIAM. 40 LIGHT GREY

**112906.23**



ROSONE INCASSO DIAM. 40 DARK GREY


**112906.24**



ROSONE LINEARE 3 X L=620 BIANCO

**112907.01**



	ROSONE LINEARE 3 X L=620 NERO	<b>112907.02</b>
	ROSONE LINEARE 3 X L=620 LIGHT GREY	<b>112907.23</b>
	ROSONE LINEARE 3 X L=620 DARK GREY	<b>112907.24</b>
	ROSONE CIRCOLARE 3 X D. 200 BIANCO	<b>112908.01</b>
	ROSONE CIRCOLARE 3 X D. 200 NERO	<b>112908.02</b>
	ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY	<b>112908.23</b>
	ROSONE CIRCOLARE 3 X D. 200 DARK GREY	<b>112908.24</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO SENZA FORO 5PZ BIANCO	<b>112920.01</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO SENZA FORO 5PZ NERO	<b>112920.02</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ BIANCO	<b>112921.01</b>
	BRIDGE SYSTEM: RACCORDO PASSACAPO CON FORO 5PZ NERO	<b>112921.02</b>
<b>LAMPS</b>		
	LAMP. LED GU10 MINI 3000K 3W 60°	<b>441400003</b>