



Features

Use: Indoor
Type of installation: SUSPENDED
Emission: DIRECT
Optics: SPOT
Colour: SATIN BRASS
H: 350mm
ø: 55mm
Made in: EU
Warranty: 5 years


Tech data

IP: 20
Insulation class: I
Supply voltage: 220-230V 50/60 Hz
SELV: No












Source

Socket: GU10 (lamp not included)
Source power: MAX 10W LED

[View more product info](#)



MOUNTING ACCESSORIES

	RACCORDO PASSACAVO SENZA FORO 5PZ BIANCO	112920.01
	RACCORDO PASSACAVO SENZA FORO 5PZ NERO	112920.02
	RACCORDO PASSACAVO CON FORO 5PZ BIANCO	112921.01
	RACCORDO PASSACAVO CON FORO 5PZ NERO	112921.02
	ROSONE TONDO 4X ORIZZONTALI D180 BI	112913.01
	ROSONE TONDO 4X ORIZZONTALI D180 NE	112913.02
	ROSONE TONDO 12X ORIZZONTALI D300 BI	112914.01
	ROSONE TONDO 12X ORIZZONTALI D300 NE	112914.02
	ROSONE TONDO 12X VERTICALI D350 BI	112915.01
	ROSONE TONDO 12X VERTICALI D350 NE	112915.02
	ROSONE LINEA. 12X ORIZZONTALI L.780 BIAN	112916.01
	ROSONE LINEA. 12X ORIZZONTALI L.780 NERO	112916.02

CRYSTAL

111902.16

novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 11:32:51



ROSONE LINEA. 12X VERTICALI L.1500 BIAN

112917.01



ROSONE LINEA. 12X VERTICALI L.1500 NERO

112917.02



ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS B

112922.01



ADAT. ALL-TRACK ELET/MEC ON/OFF C/MORS N

112922.02



ROSONE PLAFONE D. 55 BIANCO

112905.01



ROSONE PLAFONE D. 55 NERO

112905.02



ROSONE PLAFONE D. 55 LIGHT GREY

112905.23



ROSONE PLAFONE D. 55 DARK GREY

112905.24



ROSONE INCASSO DIAM. 40 BIANCO

112906.01



ROSONE INCASSO DIAM. 40 NERO

112906.02



ROSONE INCASSO DIAM. 40 LIGHT GREY

112906.23



ROSONE INCASSO DIAM. 40 DARK GREY

112906.24

CRYSTAL

111902.16

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

ROSONE LINEARE 3 X L=620 BIANCO

112907.01



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 8/4/2025, 11:32:51



ROSONE LINEARE 3 X L=620 NERO

112907.02



ROSONE LINEARE 3 X L=620 LIGHT GREY

112907.23



ROSONE LINEARE 3 X L=620 DARK GREY

112907.24



ROSONE CIRCOLARE 3 X D. 200 BIANCO

112908.01



ROSONE CIRCOLARE 3 X D. 200 NERO

112908.02



ROSONE CIRCOLARE 3 X D. 200 LIGHT GREY

112908.23



ROSONE CIRCOLARE 3 X D. 200 DARK GREY

112908.24