

## Features

Use: Indoor  
Type of installation: RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED  
Emission: DIRECT  
Optics: MICROPRISMATIZED  
Colour: WHITE  
Dimming: PUSH, DALI  
Emergency: WITH ACCESSORY  
L: 1195mm  
A: 295mm  
H: 30mm  
Warranty: 3 years

## Tech data

Luminaire input power: 38W  
Luminaire luminous flux: 4503lm  
Luminous flux in emergency: 1h: 12% / 3h: 5  
IP: 40  
Insulation class: II  
No. of driver per product: 1  
Supply voltage: 950mA driver included  
UGR: <19  
IK: 5  
SELV: Si

## Source

Light source: LED  
Source power: 34W  
Source luminous flux: 5757lm  
Colour temperature: 4000K  
CRI: >80  
LED lifespan: 50000h L80 B20

## Compliance




CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[BACKLIT: View more product info](#)

## MOUNTING ACCESSORIES

	BACKLIT: KIT MOLLE INC.CART.600/1200 MG	113620.99
	BACKLIT: BOX PER INST. SOSP.1200X300 BIA	113638.01
	BACKLIT: KIT ANTICADUTA	113639.99
	THE PANEL 2: KIT INST.INC.RAS.CART.1200	102029.99
	KIT ALIMENTAZIONE L1200 3P BIA	108919.01
	KIT ALIMENTAZIONE L3000 3P BIA	108920.01
	KIT ALIMENTAZIONE L1200 5P BIA	108921.01
	KIT ALIMENTAZIONE L3000 5P BIA	108922.01
	BACKLIT: BOX PER INST. PLAF. 1200X300 BI	113611.01
	THE PANEL 2: EMER.INC.1H 10/54VDC	1020A4.99

## EMERGENCY ACCESSORIES



# BACKLIT

113636.01

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



THE PANEL 2: EMER.INC.3H 10/54VDC

**1020A5.99**



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: [info@novalux.it](mailto:info@novalux.it) · VAT number 00536541204 · [novalux.com](http://novalux.com)  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 27/8/2025, 12:47:55