



Features

Use: Indoor

Type of installation: RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED

Emission: DIRECT

Optics: MICROPRISMATIZED

Colour: WHITE

Dimming: WITH ACCESSORY

Emergency: WITH ACCESSORY

L: 1195mm

A: 295mm

H: 30mm

Ø: 80

Warranty: 5 years

Weight: 2.2kg

Tech data

Luminaire luminous flux: (3K) 5581lm / (4K) 5963lm

Luminous flux in emergency: 1h: 11% / 3h: 4%

IP: 40

Insulation class: III

Supply voltage: DC 1050 mA

UGR: <19

IK: 5

SELV: Si

Source

Light source: LED

Source power: 36W

Colour temperature: 3000K/4000K

CRI: >90

LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

[PANEL PERFORMANCE: View more product info](#)






PANEL PERFORMANCE

113641.01

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

MOUNTING ACCESSORIES

	BACKLIT: KIT MOLLE INC.CART.600/1200 MG	113620.99
	BACKLIT: BOX PER INST. SOSP.1200X300 BIA	113638.01
	BACKLIT: KIT ANTICADUTA	113639.99
	BACKLIT: BOX PER INST. PLAF. 1200X300 BI	113611.01
	THE PANEL 2: KIT INST.INC.RAS.CART.1200	102029.99
	KIT ALIMENTAZIONE L3000 3P BIA	108920.01
	KIT ALIMENTAZIONE L3000 5P BIA	108922.01

ELECTRICAL ACCESSORIES

	ALIM. LED 42W 500/1100MA 28-38V	101362.99
---	---------------------------------	-----------

DIMMABLE ACCESSORIES

	ALIM. LED 44W 1050MA 9/42V DALI	101363.99
---	---------------------------------	-----------



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH


This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 16:03:05

PANEL PERFORMANCE

113641.01


novalux
ITALIAN LIGHTING DESIGN SINCE 1948

EMERGENCY ACCESSORIES



THE PANEL 2: EMER.INC.1H 10/54VDC

1020A4.99



THE PANEL 2: EMER.INC.3H 10/54VDC

1020A5.99



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 16:03:05