# HERO PLUS

**114631.01 + 108912.99**

HERO+: 40W 3K 1680 DALI/PUSH BIA + HERO: DIFF.MICROPRISM. PER 1680







## Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: MICROPRISMATIZED
Colour: WHITE
Dimming: DALI2, PUSH
Emergency: NO
L: 1680mm
A: 53mm
H: 69mm
Made in: ITALY
Warranty: 5 years
Weight: 4.2kg

## Tech data

Luminaire input power: 44W
Luminaire luminouse flux: 4669lm
IP: 40
Insulation class: I
No. of driver per product: 1
Supply voltage: 220-240V 50/60Hz
UGR: <19
SELV: Sì

## Source

Light source: LED
Source power: 40W
Source luminous flux: 10380lm
Colour temperature: 3000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

HERO PLUS: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:05:57**

# HERO PLUS

**114631.01 + 108912.99**

HERO+: 40W 3K 1680 DALI/PUSH BIA + HERO: DIFF.MICROPRISM. PER 1680



## Features

Optics: MICROPRISMATIZED
L: 1680mm
A: 48mm
H: 6mm
Made in: ITALY
Warranty: 5 years
Weight: 0.4kg

## Tech data

IP: 40
UGR: <19
SELV: No

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:05:57**

# HERO PLUS

**114631.01 + 108912.99**

HERO+: 40W 3K 1680 DALI/PUSH BIA + HERO: DIFF.MICROPRISM. PER 1680

## COMPLETION ACCESSORIES

| | | |
|---|---|---|
| | HERO: TESTATA OPALE PER SCHERMO TL 2PZ | **108930.99** |
| | HERO+: KIT DI GIUNZIONE PROFILI 1PZ | **108940.99** |
| | HERO: COPPIA TESTATE BIA | **108684.01** |
| | HERO+: MOD.CIECO 280 BIA | **114685.01** |
| | HERO+: MOD.CIECO 1120 BIA | **114686.01** |
| | HERO+: MOD.CIECO 1400 BIA | **114687.01** |
| | HERO+: MOD.CIECO 1680 BIA | **114688.01** |
|  | HERO+: MOD.CIECO ANG. SX DX 150 BIA | **114689.01** |

## MOUNTING ACCESSORIES

| | | |
|---|---|---|
| | HERO: SOSP.L3000 1PZ TESTA W.G.ALTO | **1086A1.99** |
| | HERO+: SOSP L.3M REGOLA. DAL BASSO 1PZ | **114694.99** |

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:05:57**

# HERO PLUS

**114631.01 + 108912.99**

HERO+: 40W 3K 1680 DALI/PUSH BIA + HERO: DIFF.MICROPRISM. PER 1680

| | | |
|---|---|---|
| | ALL-TRACK EVO: COPPIA ADATT. 3P BI | **106757.01** |
| | ALL-TRACK EVO: COPPIA ADATT. 3P NE | **106757.02** |
| | ALL-TRACK EVO: COPPIA ADATT. 3P+DALI BI | **106758.01** |
| | ALL-TRACK EVO: COPPIA ADATT. 3P+DALI NE | **106758.02** |
| | HERO: STAFFA PARETE "L" BIA | **108687.01** |
| | HERO: STAFFA PARETE "L" NE | **108687.02** |
| | HERO: STAFFA PARETE "L" CAF | **108687.20** |
| | HERO: STAFFA PARETE "L" CAP | **108687.21** |
| | HERO: KIT INCASSO LED (1X) | **108688.99** |
| | HERO: SPESS. CARTONG. 10MM 2PZ. | **108689.99** |
| | KIT ALIMENTAZIONE L3000 5P BIA | **108922.01** |
| | KIT ALIMENTAZIONE L3000 5P NE | **108922.02** |

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:05:57**

# HERO PLUS

## 114631.01 + 108912.99

HERO+: 40W 3K 1680 DALI/PUSH BIA + HERO: DIFF.MICROPRISM. PER 1680

| | | |
|---|---|---|
| | KIT ALIMENTAZIONE L3000 5P CAF | **108922.20** |
| | KIT ALIMENTAZIONE L3000 5P CAP | **108922.21** |

**EMERGENCY ACCESSORIES**

| | | |
|---|---|---|
| | HERO+: KIT 2 CAVI 1X1.5 EMERGE. L.1960 | **108942.99** |

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:05:57**