# HERO PLUS B

**114744.21 + 108912.99**

HERO+B: EM 73W 3K 1680 CAP + HERO: DIFF.MICROPRISM. PER 1680






## Features

Use: Indoor
Type of installation: SUSPENDED
Emission: DIRECT/INDIRECT
Optics: MICROPRISMATIZED
Colour: CAPPUCCINO
Dimming: ON/OFF
Emergency: Autonomy 1h/Recharge time 12h
L: 1680mm
A: 53mm
H: 92mm
Made in: ITALY
Warranty: 5 years except battery
Weight: 7kg

## Tech data

Luminaire input power: 80,5W
Luminaire luminouse flux: 4669lm
Indirect luminous flux: 3919lm
Luminous flux in emergency: 10%
IP: 40
Insulation class: I
No. of driver per product: 2
Supply voltage: 220-240V 50/60Hz
UGR: <19
SELV: Sì

## Source

Light source: LED
Source power: 73W
Source luminous flux: 6654lm
Colour temperature: 3000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-22:2023

## Standards

Photobiological risk: RISK GROUP 0Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

HERO PLUS B: View more product info

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:19:12**

# HERO PLUS B

**114744.21 + 108912.99**

HERO+B: EM 73W 3K 1680 CAP + HERO: DIFF.MICROPRISM. PER 1680



## Features

Optics: MICROPRISMATIZED
L: 1680mm
A: 48mm
H: 6mm
Made in: ITALY
Warranty: 5 years
Weight: 0.4kg

## Tech data

IP: 40
UGR: <19
SELV: No




**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**


**Last update: 9/6/2026, 17:19:12**

# HERO PLUS B

**114744.21 + 108912.99**

HERO+B: EM 73W 3K 1680 CAP + HERO: DIFF.MICROPRISM. PER 1680

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

## COMPLETION ACCESSORIES

| | | |
|---|---|---|
| | HERO: TESTATA OPALE PER SCHERMO TL 2PZ | **108930.99** |
| | HERO+: KIT DI GIUNZIONE PROFILI 1PZ | **108940.99** |
| | HERO B: COPPIA TESTATE CAP | **1087B1.21** |
| | HERO+B: MOD.CIECO 280 CAP | **114785.21** |
| | HERO+B: MOD.CIECO 1120 CAP | **114786.21** |
| | HERO+B: MOD.CIECO 1400 CAP | **114787.21** |
| | HERO+B: MOD.CIECO 1680 CAP | **114788.21** |
|  | HERO+B: MOD.CIECO ANG. SX DX 150 CAP | **114789.21** |

## MOUNTING ACCESSORIES

| | | |
|---|---|---|
| | KIT SOSPENSIONE HERO+B/MINI B L.1.2M 2PZ | **114794.99** |
| | KIT SOSPENSIONE HERO+B/MINI B L. 3M 2PZ | **114795.99** |

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:19:12**

# HERO PLUS B

**114744.21 + 108912.99**

HERO+B: EM 73W 3K 1680 CAP + HERO: DIFF.MICROPRISM. PER 1680

| | | |
|---|---|---|
|  | KIT SOSPENSIONE HERO+B/MINI B L.1.2M 3PZ | **114796.99** |
| | KIT SOSPENSIONE HERO+B/MINI B L. 3M 3PZ | **114797.99** |
| | KIT ALIMENTAZIONE L3000 3P CAP | **108920.21** |
| | KIT ALIMENTAZIONE L3000 5P CAP | **108922.21** |

**EMERGENCY ACCESSORIES**

| | | |
|---|---|---|
| | HERO+: KIT 2 CAVI 1X1.5 EMERGE. L.1400 | **108941.99** |
| | HERO+: KIT 2 CAVI 1X1.5 EMERGE. L.1960 | **108942.99** |
| | HERO+: KIT 2 CAVI 1X1.5 EMERGE. L.2800 | **108943.99** |

Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV Gmbh



**This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.**
**Last update: 9/6/2026, 17:19:12**