

## Features

Use: Indoor  
Type of installation: WALL, FLOOR, SUSPENDED, CEILING MOUNTED  
Emission: ADJUSTABLE  
Optics: MICROPRISMATIZED  
Beam: 120°  
Colour: BLACK  
Dimming: WITH ACCESSORY  
Emergency: NO  
L: 492mm  
ø: 30mm  
Warranty: 5 years  
Weight: 0.33kg

## Tech data

Luminaire input power: 14W  
Luminaire luminous flux: 794lm  
IP: 40  
Insulation class: III  
Supply voltage: 48 Vdc  
SELV: Si

## Source

Light source: LED  
Source power: 14W  
Colour temperature: 3000K  
CRI: >90  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.  
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[LIMITLESS: View more product info](#)

## COMPLETION ACCESSORIES

	LIMITLESS: TESTATA-V NE	<b>115718.02</b>
	LIMITLESS: TESTATA-V CABLATA NE	<b>115719.02</b>
	LIMITLESS: TESTATA-O NE	<b>115720.02</b>
	LIMITLESS: TESTATA-O CABLATA NE	<b>115721.02</b>
	LIMITLESS: TESTATA-O DECO NE	<b>115722.02</b>
	LIMITLESS: TESTATA-O DECO CABLATA NE	<b>115723.02</b>
	LIMITLESS: TESTATA-PL NE	<b>115724.02</b>
	LIMITLESS: TESTATA-PL CABLATA NE	<b>115725.02</b>
	LIMITLESS: TESTATA-PL GIUNTI NE	<b>115726.02</b>
	LIMITLESS: TESTATA-PL CABLATA GIUNTI NE	<b>115727.02</b>
	LIMITLESS: TESTATA-PL REGOLAB. NE	<b>115728.02</b>

	LIMITLESS: TESTATA-PL REGOLAB. GIUNTI NE	<b>115729.02</b>
	LIMITLESS: GIUNTO 2 VIE LINEARE NE	<b>115730.02</b>
	LIMITLESS: GIUNTO 2 VIE LINEARE CABL. NE	<b>115731.02</b>
	LIMITLESS: GIUNTO 2 VIE 90 NE	<b>115732.02</b>
	LIMITLESS: GIUNTO 2 VIE 90-O CABL. NE	<b>115733.02</b>
	LIMITLESS: GIUNTO 2 VIE 90-V CABL. NE	<b>115734.02</b>
	LIMITLESS: GIUNTO 2 VIE 120 NE	<b>115735.02</b>
	LIMITLESS: GIUNTO 2 VIE 120-O CABL. NE	<b>115736.02</b>
	LIMITLESS: GIUNTO 2 VIE SNODATO NE	<b>115737.02</b>
	LIMITLESS: GIUNTO 3 VIE 90 NE	<b>115738.02</b>
	LIMITLESS: GIUNTO 3 VIE 90-O CABL. NE	<b>115739.02</b>
	LIMITLESS: GIUNTO 3 VIE 120 NE	<b>115740.02</b>



LIMITLESS: GIUNTO 3 VIE 120-O CABL. NE

115741.02



LIMITLESS: GIUNTO 3 VIE 3D NE

115742.02



LIMITLESS: GIUNTO 3 VIE 3D CABL. NE

115743.02



LIMITLESS: GIUNTO 4 VIE 90 NE

115744.02



LIMITLESS: GIUNTO 4 VIE 90 CABL. NE

115745.02



LIMITLESS: GIUNTO 4 VIE 3D NE

115746.02



LIMITLESS: GIUNTO 4 VIE 3D CABL. NE

115747.02



LIMITLESS: GIUNTO 5 VIE 3D NE

115748.02



LIMITLESS: COPPIA TAPPI DI CHIUSURA NE

115749.02

## MOUNTING ACCESSORIES



LIMITLESS: STAFFA FISSAGGIO PLAFONE NE

115750.02



LIMITLESS: CAVO DI SOSPENSIONE 3000 NE

115751.02

LIMITLESS: ROSONE ALIM. REMOTA NE

115752.02



# LIMITLESS

115704.02







**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: [info@novalux.it](mailto:info@novalux.it) · VAT number 00536541204 · [novalux.com](http://novalux.com)  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 29/5/2026, 16:26:40

## ELECTRICAL ACCESSORIES

	LIMITLESS: ROSONE SOSP. 96W-48V NE	115753.02
	LIMITLESS: ROSONE SOSP. 250W-48V NE	115754.02
	LIMITLESS: KIT ALIM. TERRA 100W-48V NE	115756.02
	LIMITLESS: ROSONE PLAF. 96W-48V NE	115757.02
	LIMITLESS: ROSONE PLAF. 250W-48V NE	115758.02
<h2>DIMMABLE ACCESSORIES</h2>		
	LIMITLESS: ROSONE SOSP. DALI 150W-48V NE	115755.02
	LIMITLESS: ROSONE PLAF. DALI 150W-48V NE	115759.02