



## Caratteristiche

Uso: Interno  
Tipo installazione: INCASSO IN CARTONGESSO  
Emissione: DIRETTA  
Ottica: SPOT  
Fascio: 14°  
Colore: NERO  
Dimmerazione: ON/OFF  
Emergenza: NO  
L: 1120mm  
A: 61mm  
H: 68mm  
Made in: ITALY  
Garanzia: 5 anni  
Peso: 3.4kg

## Dati tecnici

Potenza reale apparecchio: 29W  
Flusso luminoso apparecchio: 2110lm  
IP: 40  
Classe di isolamento: I  
N° Driver per prodotto: 1  
Tensione di alimentazione: 220-240V 50/60Hz  
SELV: Sì

## Sorgente

Sorgente luminosa: LED  
Potenza sorgente: 2x13W  
Flusso luminoso sorgente: 2750lm  
Temperatura colore: 3000K  
CRI: >90  
Tolleranza colore: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Conformità



CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

## Norme

Rischio fotobiologico: GRUPPO RISCHIO 1 Apparecchio certificato in GRUPPO RG1 - Gruppo di Rischio 1 (basso) - Assenza di pericolo dovuta ad una limitazione dell'emissione di radiazione intrinseca al prodotto in conformità alla normativa CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: Conforme al Decreto Ministeriale 23 giugno 2022 n.256.

[Visualizza maggiori info sul prodotto](#)










# HERO C

108826.02

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948

## ACCESSORI DI COMPLETAMENTO

|  |                                 |           |
|--|---------------------------------|-----------|
|  <p>Technical drawing showing a perspective view of a rectangular blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 138, and W 55.</p>          | HERO C: MOD.CIECO 250 NE        | 108852.02 |
|  <p>Technical drawing showing a perspective view of an L-shaped blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 100-150, and W 55.</p>        | HERO C: MOD.CIECO ANG.SX 150 NE | 108853.02 |
|  <p>Technical drawing showing a perspective view of an L-shaped blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 100-150, and W 55.</p>        | HERO C: MOD.CIECO ANG.DX 150 NE | 108854.02 |
|  <p>Technical drawing showing a perspective view of a rectangular blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 138, and W 55.</p>          | HERO C: MOD.CIECO 1120 NE       | 108855.02 |
|  <p>Technical drawing showing a perspective view of a rectangular blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 138, and W 55.</p>         | HERO C: MOD.CIECO 1400 NE       | 108856.02 |
|  <p>Technical drawing showing a perspective view of a rectangular blind with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 138, and W 55.</p>        | HERO C: MOD.CIECO 1680 NE       | 108857.02 |
|  <p>Technical drawing showing a perspective view of a pair of rectangular blinds with dimensions L, D, and H. A small inset shows a cross-section with dimensions H 20, L 2, and W 55.</p> | HERO C: COPPIA TESTATE NE       | 108860.02 |



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · P.IVA 00536541204 · novalux.com  
Società soggetta ad attività di direzione e coordinamento da parte di SLV GmbH

La presente scheda tecnica è di proprietà di Novalux S.r.l., tutti i diritti riservati. Novalux S.r.l. si riserva il diritto di apportare modifiche senza preavviso alcuno.  
Ultimo aggiornamento: 8/4/2025, 10:35:37