





TIN

Faretto LED Novalux ad alta resa cromatica per installazione a plafone. Apparecchio luminoso cilindrico dalle elevate prestazioni, racchiuso in una forma semplice e compatta.

Novalux LED spotlight with high colour rendering for ceiling mounting. High performance cylindrical luminaire in a simple and compact form.


TIN




Apparecchio LED cilindrico, per installazione a plafone. Ottica fissa, con sorgente COB LED ad alta resa cromatica CRI >90, posizionata recessa per limitare l'abbagliamento.

Corpo in lega di alluminio verniciata a polvere, riflettore in tecnopolimero con deposizione in alto vuoto di alluminio puro al 99,9% e lente ad alto rendimento in policarbonato. Alimentazione elettronica integrata.

Cylindrical LED fixture, for ceiling installation. Fixed optics, with COB LED source with high colour rendering CRI >90, recessed to limit glare. Powder-coated aluminium alloy body, technopolymer reflector with 99.9% high vacuum deposition of pure aluminium and high-performance lens in polycarbonate. Integrated electronic power supply.




NEW



TIN 10W


			3000K <input type="checkbox"/>	4000K <input type="checkbox"/>
10W	36°	1175 lm	108205.01	1258 lm 108206.01

UGR <19



TIN 23W

			3000K <input type="checkbox"/>	4000K <input type="checkbox"/>
23W	36°	2161 lm	108201.01	2312 lm 108202.01



TIN 32W

			3000K <input type="checkbox"/>	4000K <input type="checkbox"/>
32W	36°	3080 lm	108203.01	3296 lm 108204.01

